



MDTEC

Maryland Diagnostic & Therapeutic Endo Center  
621 Ridgely Avenue, Suite 101 (entrance in back of building)  
Annapolis, MD 21401  
**410-224-3636**

## PREP D (MoviPrep® – split dosing)

The date of your colonoscopy is \_\_\_\_\_

Arrival time will be provided by a prep nurse 2-3 days prior to your procedure. Please bring your insurance card, photo ID, and a referral if necessary. If you do not have a referral, the procedure may be cancelled. You will receive sedation and must have someone 18 years old or older to accompany you and drive you home.  
If you are diabetic, please call our pre-op nurse for instructions (410-224-3636, ext 496).

PLEASE READ THESE INSTRUCTIONS NOW AND AGAIN ONE WEEK PRIOR TO PROCEDURE.

**7 DAYS PRIOR TO PROCEDURE:** Please check with your prescribing physician for approval to stop Coumadin and/or Plavix. Discontinue fiber products, iron supplements, vitamin E, and all vitamin and herbal supplements. Avoid garlic, fish oil, corn, seeds, nuts, popcorn, peas or beans. Please review and prepare for CLEAR LIQUID DIET (on page 2) that is started one day prior to procedure. Purchase your MoviPrep at your pharmacy. The kit contains: 4 pouches and a disposable container for mixing. **Ignore instructions on the packaging; follow our instructions below.**

**5 DAYS PRIOR TO PROCEDURE:** Discontinue Plavix unless instructed otherwise.

**3 DAYS PRIOR TO PROCEDURE:** Discontinue Coumadin unless instructed otherwise.

Discontinue use of all aspirin and aspirin products, anti-inflammatories (ibuprofen, Advil, Motrin, naproxen, Aleve, Celebrex); use Tylenol if needed.



**1 DAY PRIOR TO PROCEDURE:**

- 1. DRINK CLEAR LIQUIDS ALL DAY.** Refer to page 2 for CLEAR LIQUID DIET. If preferred, mix solution ahead of time and refrigerate before drinking. See step 2 for instructions for mixing.
- At **6pm** prepare MoviPrep solution. Empty 2 pouches (A&B) into container, and add lukewarm drinking water to the top line of container. Mix to dissolve solution. The container has 4 marks. Every 15 minutes drink the solution down to the next mark until the full liter is consumed.

**DO NOT EAT OR DRINK ANYTHING AFTER MIDNIGHT.** NOT EVEN WATER. No gum, lozenges, or candy. *Exception: you may take your heart, blood pressure, seizure or asthma medications with a small sip of water no later than 6am the morning of your procedure.*

**THE MORNING OF YOUR PROCEDURE:**

- 1. IF YOUR PROCEDURE IS BEFORE OR AT 11AM:** Repeat step 2 from above for mixing instructions and begin drinking at **4am**. Drink the entire container.
- 2. IF YOUR PROCEDURE IS AFTER 11AM:** Repeat step 2 from above and begin drinking at **6am**. Drink the entire container.

Your stool should be light yellow/orange to clear with no solid particles. If it is not, please take an extra bottle of Magnesium Citrate, or let the pre-op nurse know when you arrive. ***There is a chance that lesions in the colon can be missed if bowel preparation is not adequate.***

## CLEAR LIQUID DIET

Clear Broth: beef or chicken  
Bouillon  
Orange or pineapple Jell-O without fruit  
Water  
Coffee (no cream)  
Tea  
Apple juice  
White grape juice  
Yellow Country Time lemonade  
Sodas  
Gatorade or Kool-Aid  
Popsicles  
Ice slushy

### **These items are not allowed:**

Alcohol  
Milk  
Yogurt  
Cream  
Slim-fast  
Tomato juice  
Cream soups  
Oatmeal  
Cream of wheat  
Grapefruit juice  
Any solid food

*\*you may use salt, pepper and sugar\**

**AVOID ANYTHING COLORED RED, PURPLE OR BLUE.**

## CANCELLATION POLICY

**We require a 48 hour notice for cancellations or to reschedule a procedure. If you do not provide a 48 hour notice you will be responsible for a \$100.00 missed procedure fee.**

### **Frequently asked questions:**

Q: *What do I do if I become nauseated or begin vomiting?*

A: A few things that patients have found helpful are; chilling bowel prep solution in the refrigerator, using flavoring packs (if your prep provided this), and using a straw. If you experience nausea, stop drinking for 30 minutes and then restart.

Q: *Why can't I drive myself home?*

A: You cannot drive yourself home because you will receive sedation. If you need to use a taxi or driver service, you will still need an adult companion (18yo or older) to accompany you.

Q: *Is alcohol considered a clear liquid?*

A: No.

Q: *Can I have anything to eat or drink after midnight before my procedure?*

A: No, nothing, unless it is included in the prep. You may take your heart, blood pressure, seizure or asthma medications with a small sip of water.

Q: *When will I be notified of my biopsy results?*

A: If biopsies were taken at the time of your colonoscopy, you will receive a letter or a phone call with your results and recommendations typically within two weeks. Please do not call the office.

If you have any questions, please refer to our website first

([www.mdtecmd.com](http://www.mdtecmd.com) or [www.dda.net](http://www.dda.net)), or call:

410-224-3636